

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




FIG. 1

BEST AVAILABLE COPY




FIG. 2

BEST AVAILABLE COPY




FIG. 3

BEST AVAILABLE COPY





FIG. 4A






FIG. 5

BEST AVAILABLE COPY




FIG. 6A




FIG. 6B




FIG. 6C




FIG. 7

BEST AVAILABLE COPY




FIG. 8

Press vs Press and hold	Room associated with particular remote	All other rooms on the multi-zone system	Action
Press	Not muted	Not muted	Mute particular room Other rooms remain not muted
Press and hold	Not muted	Not muted	Mute particular room and all other rooms
Press	Muted	Not muted	Un-mute particular room Other rooms remain not muted
Press and hold	Muted	Not muted	Particular room remains muted and all other rooms are muted
Press	Not muted	Muted	Mute particular room Other rooms remain muted
Press and hold	Not muted	Muted	Particular room remains not muted, other rooms are un-muted
Press	Muted	Muted	Un-mute particular room, other rooms remain muted
Press and hold	Muted	Muted	Un-mute particular room and all other rooms

FIG. 9